


# RMI

## 1435FD



THE IMPERIAL

# RMi 1435 FD

## FEATURES

### MICROPROCESSOR TECHNOLOGY

Assures accuracy and simplicity in commodity dispensing. The dispense time of each commodity and its sequence in the vend cycle is controlled by the microcomputer. All settings easily and quickly made by hand-held, plug-in module.

**STACKABLE CANISTERS**—Quick disconnect "sections" control level of soluble product inventory as required by individual locations. Unique auger-agitation system provides the most accurate and consistent product delivery. Hinged lid assures sealed, dry product.

**GRAVITY FEED WATER SYSTEM**—Exclusive quick recovery, high capacity hot water tank. No pressures, regulators, pumps or submerged metering devices. Heating element, thermostat and control switches mounted on lid for simple replacement without removing or draining tank. Non-adjustable thermostat assures proper temperature at all times.

**IN-LINE CUP DISPENSER**—Originated by RMI and field proven for dependability. Complete visibility for quick cup inventory and ease in loading. Door mounted dispenser is out of the way for machine maintenance and servicing. Totally enclosed for sanitation.


**OPEN COMMODITY RACK**—Suspended product canisters and minimum of horizontal surfaces allow ease in cleaning and sanitation. Unique exhaust system assures complete vapor dispersal.

**FOURTEEN FULL SELECTIONS**—Coffee four ways; tea four ways; decaffeinated coffee four ways, soup and chocolate. Canisters dispense on a first-in, first-out basis for complete quality control. Canisters can be serviced without lifting anything but the covers—cutting down service time substantially. Plus—no long plastic hoses to clean. High speed shock mounted chocolate homogenizer whips the chocolate to a creamy delicious blend.

**STAINLESS STEEL CUPWELL**—Lever action prevents cup tilts. Rounded corners and easy cleaning features make sanitation quick and sure.

**SOLD OUT CIRCUIT**—Illuminated "Sold Out" light on coin insert panel. Coin reject circuit avoids customer inconvenience if cups sold out or overflow condition should occur.

**ALL COMPONENTS EASILY REMOVED**—Keyhole slots plus color coded wiring and plugs for simplified repair. Minimum of tools required.



## 1435 SPECIFICATION

### DIMENSIONS:

72" high	183.0 mm.
28" deep	71 mm
35" wide	90 mm

### FINISHES

Baked Brown enamel or Vintage Brown  
Vinyls—Rosewood, Presidential Walnut  
Teak, Regency Walnut, Kashmir Walnut  
Special colors optional at extra cost

### WEIGHT:

450 lbs.	204.5 kg.
----------	-----------

# RMI


REFRESHMENT MACHINERY INCORPORATED  
300 JACKSONVILLE ROAD  
WARMINSTER, PENNSYLVANIA 18974 (215) 675-4200

### CAPACITIES:

850 cups		
F/D coffee	3 lbs.	1.35 kg.
creme	4 lbs.	1.80 kg.
sugar	8 lbs.	3.6 kg.
chocolate	12 lbs.	5.40 kg.
soup	4 lbs.	1.8 kg.
tea	1.5 lbs.	.68 kg.
decaf. coffee	1.5 lbs.	.68 kg.


### ELECTRICAL:

120 volts; 60 HZ; 16 AMPS




# RMI


## 1435FD



STACKABLE COMMODITY CANNISTERS



GRAVITY FEED WATER SYSTEM




IN-LINE CUP DISPENSERS

**CAPACITIES:**

850 cups		
F/D coffee	3 lbs.	1.35 kg.
creme	4 lbs.	1.80 kg.
sugar	8 lbs.	3.6 kg.
chocolate	12 lbs.	5.40 kg.
soup	4 lbs.	1.8 kg.
tea	1.5 lbs.	.68 kg.
decaf. coffee	1.5 lbs.	.68 kg.

**ELECTRICAL:**

120 volts; 60 HZ; 16 AMPS



*Specifications subject to change without notice.*