

Technical Bulletin

Bulletin Number: _____ Revision Number: _____ Revision Date: _____

Subject: Miscellaneous E-model Shims

<u>Models Affected:</u> All Dixie-Narco E-model Venders.

Reason: To provide shim photos and part numbers, which can be used in conjunction with

set up sheets.


Note: Throughout this bulletin, H = Height, L = Length, and T = Thick



805,701,15x.x1 Narrow Column Bottle Shim 4 27/32" H x 19 5/8" L x 5/16" T



805,701,14x.x1 Narrow Can Stop Shim 5.55" H x 19 5/8" L x 5/8" T



801,812,04x.x1 Wide Column Can Shim 6.19" H x 19 5/8" L x 3/32" T



801,809,81x.x1 Wide Column Bottle Shim 3.88" H x 19 5/8" L x 3/32" T



609,070,64x.x1 Narrow Column Can Stop Shim – Long Lip 5 27/64" H x 19 5/8" L x 5/8" T



609,070,62x.x3 Can Stop Extended Wide Lip 5.55" H x 19 5/8" L x 7/8" T



610,070,06x.x3 Angle Shim 3.994" H x 19 5/8" L x 1/32" T



609,070,76x.x3 Narrow Column Extended Wide Lip Tall Can 5.498" H x 19 5/8" L x 7/8" T



609,070,72x.x1 300 ml Can 5.55" H x 19 5/8" L x 5/8" T



609,070,63x.x3 Left Filler Shim 5 3/4" H x 19 5/8" L x 1/64" T



801,810,53x.x1 Anti-Nose Diving Shim 3 1/4" H x 19 5/8" L x .093" T



801,811,05x.x1 Anti-Nose Diving Shim – Flat Large Product 3 7/8" H x 19 5/8" L x .093 T



609,070,35x.x3 Bottle Shim, Exposed Stiffener 3 29/32" H x 19 5/8" L x .045" T



609,070,65x.x3

Bottle Shim, Exposed Stiffener with Extended Lip
3 29/32" H x 19 5/8" L x .045" T



609,070,56x.x3 25 cl Can 4 Deep 5.013" H x 19 5/8" L x 5/8" T




610,071,01x.x3 Shim Angle, Narrow Column Short 3 27/32" H x 13" L x .045" T



801,304,96x.x1 Bottle Expose Stiffener E-Shim 3 29/32" H x 19 5/8" L x 5/16" T



610,070,05x.x3 Shim Angle Regular 27/32" H x 16 1/4" L x 2.443" T



609,070,30x.x3 Rod and Spring Assy.

Part Number	Description	L	T
801,903,23x.x1	Red Tube	18 1/2"	7/16''
801,903,24x.x1	White Tube	18 1/2"	17/32''
801,903,25x.x1	Yellow Tube	18 1/2"	3/8''
801,904,04x.x1	Black Tube	18 1/2"	11/16''
801,903,77x.x1	Green Tube	18 1/2"	.710''
609,070,30x.x3	Rod and Spring Assy.	19 1/2"	1/4''